

## CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application.

### Listing of Claims:

1. (Original) A method for remote control of structural appliances, comprising the steps of:
  - communicating a structural appliance with a server programmed to accept mobile device commands;
  - communicating a mobile device with said server;
  - issuing said mobile device commands from said mobile device to said server;
  - converting said mobile device commands to structural appliance commands; and
  - issuing said structural appliance commands from said server to said structural appliance, whereby wireless control of said structural appliance is established.
2. (Original) The method according to claim 1, wherein said server is communicated with said structural appliance through a gateway.
3. (Original) The method according to claim 2, further comprising the steps of:
  - storing structural appliance information at one of said structural appliance, said gateway and said server;
  - and

transmitting said structural appliance information from said server to said mobile device.

4. (Original) The method according to claim 3, wherein said structural appliance information is provided in structural appliance format to said gateway, wherein said gateway converts said structural appliance format to mobile device format, and wherein said server transmits said structural appliance information to said mobile device in said mobile device format.

5. (Original) The method according to claim 3, wherein said structural appliance information comprises at least one type of information selected from the group consisting of diagnostic information, maintenance information, operating parameters, environmental information and combinations thereof.

6. (Original) The method according to claim 1, wherein said structural appliance is selected from the group consisting of heating, ventilation, air conditioning, refrigeration, building control and elevator appliances.

7. (Original) The method according to claim 1, wherein said mobile device is a web enabled device.

8. (Original) The method according to claim 7, wherein said mobile device is communicated with said server utilizing wireless application protocol.

9. (Original) The method according to claim 1, wherein said mobile device and said structural appliance are communicated with said server by a global satellite messaging network.

10. (Original) The method according to claim 9, wherein said server is communicated with said global satellite messaging network by a global computer network.

11. (Original) The method according to claim 10, wherein said mobile device issues said mobile device commands in wireless application protocol, and further comprising the step of converting said wireless application protocol to structural appliance protocol commands.

12. (Original) The method according to claim 10, wherein said server is adapted to display a plurality of options on said mobile device, whereby a user of said mobile device can select from said plurality of options so as to issue said mobile device commands.

13. (Original) The method according to claim 1, wherein said mobile device is communicated with said server from a remote location.

14. (Original) The method according to claim 13, wherein said server is a wireless-accessible server.

15. (Original) A method for allowing wireless control of structural appliances, comprising the steps of:

communicating a structural appliance with a server;  
programming said server to accept mobile device commands;

converting said mobile device commands into structural appliance commands; and

issuing said structural appliance commands to said structural appliance.

16. (Original) A method for remote control of an HVAC system, comprising the steps of:

communicating a HVAC system with a server programmed to accept mobile device commands;

communicating a mobile device with said server;

issuing said mobile device commands from said mobile device to said server;

converting said mobile device commands to HVAC system commands; and

issuing said HVAC system commands from said server to said HVAC system, whereby wireless control of said HVAC system is established.

17. (Original) The method according to claim 16, wherein said HVAC system is a non-central HVAC system.

18. (Original) The method according to claim 16, wherein said mobile device is operated by an energy

provider and wherein said HVAC system comprises a plurality of HVAC systems of customers of said energy provider.

19. (Previously presented) The method of claim 1, wherein said step of communicating said structural appliance with said server comprises communicating a plurality of structural appliances with said server, and wherein said step of communicating said mobile device with said server includes presenting a selection of said plurality of structural appliances at said mobile device.